ELSEVIER

Journal of Materials Processing Technology 171 (2006) 488–489

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 171

Aalberg, A., 10
Adeyemi, M.B., 428
Ajiboye, J.S., 428
Allehaux, D., 348
Alonso, F.J., 451
Anchev, A.P., 459
Antti, A.L., 467
Arsecularatne, J.A., 244
Aísa, J., 373
Aslan, E., 1

Berry, J.T., 132

Camuscu, N., 1
Cao, X., 188
Chen, C.Q., 100
Chen, S.C., 125
Cheng, C.H., 125
Cheng, K.W., 108
Chin, K.-G., 385
Choi, K.Y., 118
Choi, S.-H., 385
Chuang, S.F., 319
Clavería, I., 373
Cohen, G., 471
Cui, J.Z., 399
Cui, Y., 150

da Silva, C.L.M., 366
Damir, M.N., 83
Desrayaud, C., 348
Dhar, N.R., 93
Dixit, U.S., 331
Dogu, Y., 1
D'Oliveira, A.S.C.M., 167
Domblesky, J., 141
Dong, J., 399
Driver, J.H., 348
Druecke, B., 141

Ebrahimi, R., 301
Erzurumlu, T., 437

Fernández, Á., 373

Gavas, M., 274
Geng, H., 405
Gnanamoorthy, R., 61

Hamdan, M.M., 358
Hanssen, A.G., 10
Hansson, L., 467
Hariharan, V., 150
Hashmi, M.F., 100
Hashmi, M.S.J., 285
Heurtier, P., 348
Ho, C.T., 411
Hua, J., 180
Huang, C.K., 306

Ichkova, M.D., 459
Im, Y.-T., 480
Imihezri, S.S.S., 358
Immarigeon, J.P., 188
Inokuti, Y., 423
Islam, M.W., 93
Islam, S., 93
Ito, K., 341
Izciler, M., 274

Jackowski, A., 21
Jahazi, M., 188
Javierre, C., 373
Jones, M.J., 348
Joshi, S.S., 68

Kanjilal, P., 223
Kao, W.H., 108
Karayannis, V.G., 295
Karimi Taheri, A., 253
Karunamoorthy, L., 268
Kathiresan, S., 268
Kazama, K., 341
Kazeminezhad, M., 253
Kim, H.-K., 205
Kim, K.-H., 205
Kim, K.D., 118
Kong, Y.M., 259
Kraft, F., 141
Kumar, D., 331
Kumar, S., 41
Kuzmanov, T.V., 459

Lagarrigue, P., 471
Landon, Y., 471
Langseth, M., 10
Lee, J.-C., 240
Lee, J.-H., 240, 480
Li, D.-Z., 175
Li, H.X., 100
Li, Y., 405
Li, Y.-Y., 175
Lim, S.C.V., 393
Lin, Y.C., 125
Liu, T.H., 108
Liu, Y., 405
Lu, H., 341
Lundin, C.D., 150

Mahadevan, K., 314
Majumdar, S.K., 223
Mathew, P., 244
Maximov, J.T., 459
Mithu, M.A.H., 93
Mohan, B., 268
Monies, F., 471
Montheillet, F., 348
Montross, C., 244
Mori, H., 423
Moutsatsou, A.K., 295
Mustafa, A.H., 285

Najafizadeh, A., 301
Namura, S., 341
Nian, C.Y., 319
Nie, D., 405

Oh, S.-I., 205, 417
Onwubolu, G.C., 41
Osman, M.R., 358
Ozcelik, B., 437

Pai, B.C., 314
Pal, T.K., 223
Paredes, R.S.C., 167
Park, M.-K., 240
Park, S., 35, 240
Patel, K.M., 68
Pillai, U.T.S., 314
Porcaro, R., 10
Prabu, S.B., 268
Prakash, S., 77
Przybylski, W., 27

Raghukandan, K., 314
Rahman, M.Z.A., 358
Ramesh, R., 61
Rhim, S.-H., 417

Salgado, D.R., 451
Samin, R., 259
Santos, R.L.C., 167
Sapuan, S.M., 259, 358
Scotti, A., 366
Segonds, S., 471

Elsevier B.V.
doi:10.1016/S0924-0136(06)00008-2

ELSEVIER

Journal of Materials Processing Technology 171 (2006) 488–489

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 171

Aalberg, A., 10
Adeyemi, M.B., 428
Ajiboye, J.S., 428
Allehaux, D., 348
Alonso, F.J., 451
Anchev, A.P., 459
Antti, A.L., 467
Arsecularatne, J.A., 244
Aísa, J., 373
Aslan, E., 1

Berry, J.T., 132

Camuscu, N., 1
Cao, X., 188
Chen, C.Q., 100
Chen, S.C., 125
Cheng, C.H., 125
Cheng, K.W., 108
Chin, K.-G., 385
Choi, K.Y., 118
Choi, S.-H., 385
Chuang, S.F., 319
Clavería, I., 373
Cohen, G., 471
Cui, J.Z., 399
Cui, Y., 150

da Silva, C.L.M., 366
Damir, M.N., 83
Desrayaud, C., 348
Dhar, N.R., 93
Dixit, U.S., 331
Dogu, Y., 1
D'Oliveira, A.S.C.M., 167
Domblesky, J., 141
Dong, J., 399
Driver, J.H., 348
Druecke, B., 141

Ebrahimi, R., 301
Erzurumlu, T., 437

Fernández, Á., 373

Gavas, M., 274
Geng, H., 405
Gnanamoorthy, R., 61

Hamdan, M.M., 358
Hanssen, A.G., 10
Hansson, L., 467
Hariharan, V., 150
Hashmi, M.F., 100
Hashmi, M.S.J., 285
Heurtier, P., 348
Ho, C.T., 411
Hua, J., 180
Huang, C.K., 306

Ichkova, M.D., 459
Im, Y.-T., 480
Imihezri, S.S.S., 358
Immarigeon, J.P., 188
Inokuti, Y., 423
Islam, M.W., 93
Islam, S., 93
Ito, K., 341
Izciler, M., 274

Jackowski, A., 21
Jahazi, M., 188
Javierre, C., 373
Jones, M.J., 348
Joshi, S.S., 68

Kanjilal, P., 223
Kao, W.H., 108
Karayannis, V.G., 295
Karimi Taheri, A., 253
Karunamoorthy, L., 268
Kathiresan, S., 268
Kazama, K., 341
Kazeminezhad, M., 253
Kim, H.-K., 205
Kim, K.-H., 205
Kim, K.D., 118
Kong, Y.M., 259
Kraft, F., 141
Kumar, D., 331
Kumar, S., 41
Kuzmanov, T.V., 459

Lagarrigue, P., 471
Landon, Y., 471
Langseth, M., 10
Lee, J.-C., 240
Lee, J.-H., 240, 480
Li, D.-Z., 175
Li, H.X., 100
Li, Y., 405
Li, Y.-Y., 175
Lim, S.C.V., 393
Lin, Y.C., 125
Liu, T.H., 108
Liu, Y., 405
Lu, H., 341
Lundin, C.D., 150

Mahadevan, K., 314
Majumdar, S.K., 223
Mathew, P., 244
Maximov, J.T., 459
Mithu, M.A.H., 93
Mohan, B., 268
Monies, F., 471
Montheillet, F., 348
Montross, C., 244
Mori, H., 423
Moutsatsou, A.K., 295
Mustafa, A.H., 285

Najafizadeh, A., 301
Namura, S., 341
Nian, C.Y., 319
Nie, D., 405

Oh, S.-I., 205, 417
Onwubolu, G.C., 41
Osman, M.R., 358
Ozcelik, B., 437

Pai, B.C., 314
Pal, T.K., 223
Paredes, R.S.C., 167
Park, M.-K., 240
Park, S., 35, 240
Patel, K.M., 68
Pillai, U.T.S., 314
Porcaro, R., 10
Prabu, S.B., 268
Prakash, S., 77
Przybylski, W., 27

Raghukandan, K., 314
Rahman, M.Z.A., 358
Ramesh, R., 61
Rhim, S.-H., 417

Salgado, D.R., 451
Samin, R., 259
Santos, R.L.C., 167
Sapuan, S.M., 259, 358
Scotti, A., 366
Segonds, S., 471

Elsevier B.V.
doi:10.1016/S0924-0136(06)00008-2

Senthilvelan, T., 314
Sha, W., 283
Shahtout, M., 83
Shivpuri, R., 180
Shyu, R.F., 411
Sidhu, B.S., 77
Sidhu, H.S., 77
Siemiatkowski, M., 27
Sims, B., 141
Smith, L.M., 214
Son, I.-H., 480
Song, Y.-A., 35
Su, C.T., 108
Su, Y.L., 108
Sulaiman, S., 259, 358
Sun, T., 214
Sunar, M., 285

Tang, H.C., 306
Tang, S.H., 259
Tarng, Y.S., 306, 319
Tušar, L., 48
Tušar, M., 48

Umbrello, D., 180

Överstam, H., 446

Wallace, W., 188
Wan, M., 156
Wang, L.G., 306
Włodarczyk, E., 21
Wyatt, J.E., 132

Yang, J.W., 118
Yao, S.H., 108
Yilbas, B.S., 285
Yilmaz, M., 232
Yong, M.S., 393
Younes, M.A., 83
Yu, F.X., 399

Zahiri, S.H., 301
Zainuddin, E.S., 358
Zeng, M.G., 100
Zhang, L.C., 244
Zhang, W.H., 156
Zhang, Y., 100
Zhang, Y.-T., 175
Zhao, Z.H., 399
Zheng, L.J., 100
Zhuo, Y.B., 399
Zupan, J., 48

ELSEVIER

Journal of Materials Processing Technology 171 (2006) 490–496

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 171

2024AA
Mechanical and thermal modelling of Friction Stir Welding, 348

7050 Alloy
Evolution of microstructure and strengthening of 7050 Al alloy by ECAP combined with heat-treatment, 100

Adiabatic shear band
Prediction of serrated chip formation in metal cutting process with new flow stress model for AISI 1045 steel, 417
Age hardening
Investigation on the influence of heat-treatment parameters on the hardness of AA6061-SiC_p composite, 314
Air circulation drying
The effect of drying method and temperature level on the hardness of wood, 467
Alloy matrix composites
Fabrication of MMCs from metal and alloy powders produced from scrap, 295
Alloy powders
Fabrication of MMCs from metal and alloy powders produced from scrap, 295
Aluminium
Self-piercing riveting process: An experimental and numerical investigation, 10
Aluminum
Deformation behavior of pure aluminum specimen composed of a few grains during simple compression, 205
The influence of double pulse on porosity formation in aluminum GMAW, 366
Aluminum alloys
In situ reacted titanium carbide-reinforced aluminum alloys composite, 411
Al–Zn–Mg–Cu–Zr
A new way to cast high-alloyed Al–Zn–Mg–Cu–Zr for super-high strength and toughness, 399
Analysis of variance
Investigation on the influence of heat-treatment parameters on the hardness of AA6061-SiC_p composite, 314
ANN
Comparison of the warpage optimization in the plastic injection molding using ANOVA, neural network model and genetic algorithm, 437
Annealing
Evolution of microstructure and strengthening of 7050 Al alloy by ECAP combined with heat-treatment, 100
ANOVA
Comparison of the warpage optimization in the plastic injection molding using ANOVA, neural network model and genetic algorithm, 437
Area ratio
Effects of die land on the cold extrusion of lead alloy, 428

Artificial neural network
The optimisation of energy consumption and time in colour pigment grinding with pearl mills, 48
Comment on "Prediction of the flow stress of 0.4C–1.9Cr–1.5 Mn–1.0Ni–0.2Mo steel during hot deformation" by R.H. Wu et al. [J. Mater. Process. Technol. 116 (2001) 211], 283
Austenitic stainless steel
Mechanical behavior of austenitic stainless steel weld metals with microfissures, 150
Auto-alignment
A new algorithm for a three-axis auto-alignment system using vision inspection, 319
Automatic inspection
Automatic laser inspection of outer diameter, run-out and taper of micro-drills, 306
Automotive clutch pedals
Mould flow and component design analysis of polymeric based composite automotive clutch pedals, 358
Axial force
Response surface methodology-based approach to CNC drilling operations, 41

Back pressure
Finite element investigation of equal channel angular extrusion with back pressure, 480
Back propagation
Comment on "Prediction of the flow stress of 0.4C–1.9Cr–1.5 Mn–1.0Ni–0.2Mo steel during hot deformation" by R.H. Wu et al. [J. Mater. Process. Technol. 116 (2001) 211], 283
Ball bearing steel
The influence of bearing geometry on the residual stress state in cold drawn wire, analysed by the FEM, 446
Biopsy
Development of new patient-friendly therapeutic puncture needle with high insulation and good adhesion, 423
Blank holder
Design and application of blank holder system with spiral spring in deep drawing of square cups, 274
Brinell hardness
Investigation on the influence of heat-treatment parameters on the hardness of AA6061-SiC_p composite, 314
Bulk forming
Welded preforms for forging, 141

Ceramic-coating
Development of new patient-friendly therapeutic puncture needle with high insulation and good adhesion, 423
Characteristic matrix
A new algorithm for a three-axis auto-alignment system using vision inspection, 319
Charge coupled device (CCD)
A new algorithm for a three-axis auto-alignment system using vision inspection, 319

Elsevier B.V.
doi:10.1016/S0924-0136(06)00009-4

Chip
The influence of minimum quantity of lubrication (MQL) on cutting temperature, chip and dimensional accuracy in turning AISI-1040 steel, 93
Chromium carbide
Wear of CrC-coated carbide tools in dry machining, 108
Cobalt alloys
Pulsed current plasma transferred arc hardfacing, 167
Coefficient of friction
Fretting wear behavior of liquid nitrided structural steel, En24 and bearing steel, En31, 61
Cold holes expansion
A finite element simulation of the spherical mandrelling process of holes with cracks, 459
Cold work
A finite element simulation of the spherical mandrelling process of holes with cracks, 459
Compensation
Characterising the behaviour of workpieces under the effect of tangential cutting force during NC turning. Application to machining of slender workpieces, 471
Composite
In situ reacted titanium carbide-reinforced aluminum alloys composite, 411
Computer numerically controlled (CNC) drilling machine
Response surface methodology-based approach to CNC drilling operations, 41
Connector
Self-piercing riveting process: An experimental and numerical investigation, 10
Constitutive equation
Mathematical modelling of the stress–strain curves of Ti-IF steel at high temperature, 301
Content of solute element within grains
A new way to cast high-alloyed Al–Zn–Mg–Cu–Zr for super-high strength and toughness, 399
Coordinate measuring machine (CMM)
Simulation studies of process flow with in-line part inspection in machining cells, 27
Cr_3C_2–NiCr
Mechanical and microstructural properties of HVOF sprayed WC–Co and Cr_3C_2–NiCr coatings on the boiler tube steels using LPG as the fuel gas, 77
Crystal plasticity
Deformation behavior of pure aluminum specimen composed of a few grains during simple compression, 205
Cutting
Prediction of serrated chip formation in metal cutting process with new flow stress model for AISI 1045 steel, 417
Cutting forces
Mechanics of machining of face-milling operation performed using a self-propelled round insert milling cutter, 68
Cutting performance
Wear of CrC-coated carbide tools in dry machining, 108
Cutting temperature
The influence of minimum quantity of lubrication (MQL) on cutting temperature, chip and dimensional accuracy in turning AISI-1040 steel, 93

Defect
A review of laser welding techniques for magnesium alloys, 188
Design
Design and thermal analysis of plastic injection mould, 259
Design of experiments
Investigation on the influence of heat-treatment parameters on the hardness of AA6061-SiC_p composite, 314
Die exit clearance angle
Effects of die land on the cold extrusion of lead alloy, 428
Die land
Effects of die land on the cold extrusion of lead alloy, 428
Die steel for plastic mould
Comment on "Prediction of the flow stress of 0.4C–1.9Cr–1.5 Mn–1.0Ni–0.2Mo steel during hot deformation" by R.H. Wu et al. [J. Mater. Process. Technol. 116 (2001) 211], 283
Dimensional deviation
The influence of minimum quantity of lubrication (MQL) on cutting temperature, chip and dimensional accuracy in turning AISI-1040 steel, 93
Discrete-event simulation
Simulation studies of process flow with in-line part inspection in machining cells, 27
DOE
Comparison of the warpage optimization in the plastic injection molding using ANOVA, neural network model and genetic algorithm, 437
Dynamic recrystallization
Mathematical modelling of the stress–strain curves of Ti-IF steel at high temperature, 301

ECAP
Evolution of microstructure and strengthening of 7050 Al alloy by ECAP combined with heat-treatment, 100
Elastic modulus
Prediction of spring-back behavior in high strength low carbon steel sheets, 385
Electrical package
The numerical analysis of strain behavior at the solder joint and interface in a flip chip package, 125
Electrochemical reaction
Combined effect of flux and welding parameters on chemical composition and mechanical properties of submerged arc weld metal, 223
Electron backscattered diffraction
Deformation behavior of pure aluminum specimen composed of a few grains during simple compression, 205
Equal channel angular extrusion
Finite element investigation of equal channel angular extrusion with back pressure, 480
Experimental design
The optimisation of energy consumption and time in colour pigment grinding with pearl mills, 48
Experimental design method
Optimization of the synthesis conditions of $LiCoO_2$ for lithium secondary battery by ultrasonic spray pyrolysis process, 118
Extrusion pressures
Effects of die land on the cold extrusion of lead alloy, 428

Face-milling
Mechanics of machining of face-milling operation performed using a self-propelled round insert milling cutter, 68
Failure
Failures during the production and usage of steel wires, 232
Fatigue
A new technique for the determination of superficial residual stresses associated with machining and other manufacturing processes, 132
Fatigue life enhancement
A finite element simulation of the spherical mandrelling process of holes with cracks, 459
FEM
Investigation of cutting conditions and cutting edge preparations for enhanced compressive subsurface residual stress in the hard turning of bearing steel, 180
Ferrite grain size
Modeling of austenite decomposition in plain carbon steels during hot rolling, 175

Fiducial mark
A new algorithm for a three-axis auto-alignment system using vision inspection, 319
Finite element analysis
Finite element investigation of equal channel angular extrusion with back pressure, 480
Finite element method
Efficient algorithms for calculations of static form errors in peripheral milling, 156
Deformation behavior of pure aluminum specimen composed of a few grains during simple compression, 205
The influence of bearing geometry on the residual stress state in cold drawn wire, analysed by the FEM, 446
Finite element simulations
Plane-strain forging of wrought magnesium alloy AZ31, 393
A finite element simulation of the spherical mandrelling process of holes with cracks, 459
Flank wear
Tool wear detection in turning operations using singular spectrum analysis, 451
Flexure
Characterising the behaviour of workpieces under the effect of tangential cutting force during NC turning. Application to machining of slender workpieces, 471
Flip chip
The numerical analysis of strain behavior at the solder joint and interface in a flip chip package, 125
Flow stress
Comment on "Prediction of the flow stress of 0.4C–1.9Cr–1.5 Mn–1.0Ni–0.2Mo steel during hot deformation" by R.H. Wu et al. [J. Mater. Process. Technol. 116 (2001) 211], 283
Mathematical modelling of the stress–strain curves of Ti-IF steel at high temperature, 301
FMS
Simulation studies of process flow with in-line part inspection in machining cells, 27
Foil rolling
A slab method study of strain hardening and friction effects in cold foil rolling process, 331
Forging
Welded preforms for forging, 141
Form errors
Efficient algorithms for calculations of static form errors in peripheral milling, 156
Fretting wear
Fretting wear behavior of liquid nitrided structural steel, En24 and bearing steel, En31, 61
Friction
A non-finite element approach for tubular hydroforming simulation featuring a new sticking friction model, 214
A slab method study of strain hardening and friction effects in cold foil rolling process, 331
Friction Stir Welding
Mechanical and thermal modelling of Friction Stir Welding, 348
Friction welding
Welded preforms for forging, 141
Fuel gas
Mechanical and microstructural properties of HVOF sprayed WC–Co and Cr_3C_2–NiCr coatings on the boiler tube steels using LPG as the fuel gas, 77
Functionally Graded Material deposition (FGM)
Experimental investigations into rapid prototyping of composites by novel hybrid deposition process, 35

GA
Comparison of the warpage optimization in the plastic injection molding using ANOVA, neural network model and genetic algorithm, 437
Gas Metal Arc Welding (GMAW)
Experimental investigations into rapid prototyping of composites by novel hybrid deposition process, 35
Gas turbine
Thermal stress analysis in annular duct resembling gas turbine transition piece, 285
Grain refinement mechanism
Evolution of microstructure and strengthening of 7050 Al alloy by ECAP combined with heat-treatment, 100
Grain-by-grain deformation
Deformation behavior of pure aluminum specimen composed of a few grains during simple compression, 205

Hard machining
Investigation of cutting conditions and cutting edge preparations for enhanced compressive subsurface residual stress in the hard turning of bearing steel, 180
Hardened AISI D2 steel
On machining of hardened AISI D2 steel with PCBN tools, 244
Hardening
Fretting wear behavior of liquid nitrided structural steel, En24 and bearing steel, En31, 61
Hardfacing
Pulsed current plasma transferred arc hardfacing, 167
Heat generation
A numerical model to determine temperature distribution in orthogonal metal cutting, 1
Heat input
Combined effect of flux and welding parameters on chemical composition and mechanical properties of submerged arc weld metal, 223
High insulation
Development of new patient-friendly therapeutic puncture needle with high insulation and good adhesion, 423
High speed machining
A new technique for the determination of superficial residual stresses associated with machining and other manufacturing processes, 132
High strength steel
Prediction of spring-back behavior in high strength low carbon steel sheets, 385
Hot compression
Mathematical modelling of the stress–strain curves of Ti-IF steel at high temperature, 301
Hot rolling
Modeling of austenite decomposition in plain carbon steels during hot rolling, 175
Hot runner system
Criteria on feeding system design: Conventional and sequential injection moulding, 373
Hydroforming
A non-finite element approach for tubular hydroforming simulation featuring a new sticking friction model, 214

IF steel
Mathematical modelling of the stress–strain curves of Ti-IF steel at high temperature, 301
In situ process
In situ reacted titanium carbide-reinforced aluminum alloys composite, 411
Injection moulding
Criteria on feeding system design: Conventional and sequential injection moulding, 373
Inspection sequencing
Simulation studies of process flow with in-line part inspection in machining cells, 27
Intermetallics
Synthesis and cladding of Ni_3Al intermetallic on steel substrate by laser controlled reactive synthesis, 405

Janka
The effect of drying method and temperature level on the hardness of wood, 467

$La_{0.7}Ca_{0.3}MnO_3$
Characteristics of nano-sized $La_{0.7}Ca_{0.3}MnO_3$ powders prepared by solution combustion method and solid state reaction method for CMR applications, 240
Laser cladding
Synthesis and cladding of Ni_3Al intermetallic on steel substrate by laser controlled reactive synthesis, 405
Laser Micro Gage
Automatic laser inspection of outer diameter, run-out and taper of micro-drills, 306
Laser welding
A review of laser welding techniques for magnesium alloys, 188
$LiCoO_2$
Optimization of the synthesis conditions of $LiCoO_2$ for lithium secondary battery by ultrasonic spray pyrolysis process, 118
Liners
The influence of repressing liners made from sintered copper on jet formation, 21
Lithium secondary battery
Optimization of the synthesis conditions of $LiCoO_2$ for lithium secondary battery by ultrasonic spray pyrolysis process, 118
Low-frequency electromagnetic casting
A new way to cast high-alloyed Al–Zn–Mg–Cu–Zr for super-high strength and toughness, 399
LPG
Mechanical and microstructural properties of HVOF sprayed WC–Co and Cr_3C_2–NiCr coatings on the boiler tube steels using LPG as the fuel gas, 77

Machining
On machining of hardened AISI D2 steel with PCBN tools, 244
Magnesium alloy
A review of laser welding techniques for magnesium alloys, 188
Plane-strain forging of wrought magnesium alloy AZ31, 393
Matched sample
The effect of drying method and temperature level on the hardness of wood, 467
Material modeling
Investigation of cutting conditions and cutting edge preparations for enhanced compressive subsurface residual stress in the hard turning of bearing steel, 180
Mechanical properties
Evolution of microstructure and strengthening of 7050 Al alloy by ECAP combined with heat-treatment, 100
A review of laser welding techniques for magnesium alloys, 188
Metal cutting
A numerical model to determine temperature distribution in orthogonal metal cutting, 1
Metal matrix composites
Influence of stirring speed and stirring time on distribution of particles in cast metal matrix composite, 268
Fabrication of MMCs from metal and alloy powders produced from scrap, 295
Investigation on the influence of heat-treatment parameters on the hardness of AA6061-SiC_p composite, 314
Metal powders
Fabrication of MMCs from metal and alloy powders produced from scrap, 295
Micro-drill
Automatic laser inspection of outer diameter, run-out and taper of micro-drills, 306
Microfissures
Mechanical behavior of austenitic stainless steel weld metals with microfissures, 150
Microstructure
A review of laser welding techniques for magnesium alloys, 188
Failures during the production and usage of steel wires, 232
Influence of stirring speed and stirring time on distribution of particles in cast metal matrix composite, 268
Fabrication of MMCs from metal and alloy powders produced from scrap, 295
Plane-strain forging of wrought magnesium alloy AZ31, 393
A new way to cast high-alloyed Al–Zn–Mg–Cu–Zr for super-high strength and toughness, 399
Microwave drying
The effect of drying method and temperature level on the hardness of wood, 467
MIG/MAG
The influence of double pulse on porosity formation in aluminum GMAW, 366
Mixture related variables
Combined effect of flux and welding parameters on chemical composition and mechanical properties of submerged arc weld metal, 223
Modelling
Self-piercing riveting process: An experimental and numerical investigation, 10
A non-finite element approach for tubular hydroforming simulation featuring a new sticking friction model, 214
Mould flow analysis
Mould flow and component design analysis of polymeric based composite automotive clutch pedals, 358
MQL
The influence of minimum quantity of lubrication (MQL) on cutting temperature, chip and dimensional accuracy in turning AISI-1040 steel, 93
Multi-material part
Experimental investigations into rapid prototyping of composites by novel hybrid deposition process, 35

Nano-sized powder
Characteristics of nano-sized $La_{0.7}Ca_{0.3}MnO_3$ powders prepared by solution combustion method and solid state reaction method for CMR applications, 240
NC turning
Characterising the behaviour of workpieces under the effect of tangential cutting force during NC turning. Application to machining of slender workpieces, 471
Neutral angle
Calculation of the rolling pressure distribution and force in wire flat rolling process, 253
Nitriding
Fretting wear behavior of liquid nitrided structural steel, En24 and bearing steel, En31, 61
Non-linear finite element analysis
Development of a new quadratic shell element considering the normal stress in the thickness direction for simulating sheet metal forming, 341
Numerical analysis
The numerical analysis of strain behavior at the solder joint and interface in a flip chip package, 125

Optical emission monitoring
Wear of CrC-coated carbide tools in dry machining, 108
Optimisation
The optimisation of energy consumption and time in colour pigment grinding with pearl mills, 48

Parameters design
A parameters design approach to improve product quality and equipment performance in hot rolling, 83
PCB through-hole drilling
Wear of CrC-coated carbide tools in dry machining, 108

PCBN tools
On machining of hardened AISI D2 steel with PCBN tools, 244
Percentage reduction
Effects of die land on the cold extrusion of lead alloy, 428
Peripheral milling
Efficient algorithms for calculations of static form errors in peripheral milling, 156
Phase transformation
Modeling of austenite decomposition in plain carbon steels during hot rolling, 175
Pigment grinding
The optimisation of energy consumption and time in colour pigment grinding with pearl mills, 48
Plain carbon steels
Modeling of austenite decomposition in plain carbon steels during hot rolling, 175
Plane-strain forging
Plane-strain forging of wrought magnesium alloy AZ31, 393
Plasma transferred arc
Pulsed current plasma transferred arc hardfacing, 167
Plastic injection molding
Comparison of the warpage optimization in the plastic injection molding using ANOVA, neural network model and genetic algorithm, 437
Plastic Injection mould
Design and thermal analysis of plastic injection mould, 259
Polymer composites
Mould flow and component design analysis of polymeric based composite automotive clutch pedals, 358
Polynomials
The optimisation of energy consumption and time in colour pigment grinding with pearl mills, 48
Porosity
The influence of double pulse on porosity formation in aluminum GMAW, 366
Powder metallurgy
The influence of repressing liners made from sintered copper on jet formation, 21
Preforms
Welded preforms for forging, 141
Process
Self-piercing riveting process: An experimental and numerical investigation, 10
A review of laser welding techniques for magnesium alloys, 188
Process flow
Simulation studies of process flow with in-line part inspection in machining cells, 27
Process parameters
Influence of stirring speed and stirring time on distribution of particles in cast metal matrix composite, 268
Pulsed current
Pulsed current plasma transferred arc hardfacing, 167
Pulsed GMAW
The influence of double pulse on porosity formation in aluminum GMAW, 366
Puncture needle
Development of new patient-friendly therapeutic puncture needle with high insulation and good adhesion, 423

Quality improvement
A parameters design approach to improve product quality and equipment performance in hot rolling, 83

Rapid prototyping
Experimental investigations into rapid prototyping of composites by novel hybrid deposition process, 35
Reactive synthesis
Synthesis and cladding of Ni_3Al intermetallic on steel substrate by laser controlled reactive synthesis, 405
Recrystallization
Prediction of serrated chip formation in metal cutting process with new flow stress model for AISI 1045 steel, 417
Regression
Comment on "Prediction of the flow stress of 0.4C–1.9Cr–1.5 Mn–1.0Ni–0.2Mo steel during hot deformation" by R.H. Wu et al. [J. Mater. Process. Technol. 116 (2001) 211], 283
Residual stresses
A new technique for the determination of superficial residual stresses associated with machining and other manufacturing processes, 132
Investigation of cutting conditions and cutting edge preparations for enhanced compressive subsurface residual stress in the hard turning of bearing steel, 180
The influence of bearing geometry on the residual stress state in cold drawn wire, analysed by the FEM, 446
A finite element simulation of the spherical mandrelling process of holes with cracks, 459
Response surface methodology (RSM)
Response surface methodology-based approach to CNC drilling operations, 41
Rolling force
Calculation of the rolling pressure distribution and force in wire flat rolling process, 253
Rolling pressure distribution
Calculation of the rolling pressure distribution and force in wire flat rolling process, 253
Rotary tools
Mechanics of machining of face-milling operation performed using a self-propelled round insert milling cutter, 68
Rotatable mixture designs
Combined effect of flux and welding parameters on chemical composition and mechanical properties of submerged arc weld metal, 223

Scheduling
Simulation studies of process flow with in-line part inspection in machining cells, 27
Scrap
Fabrication of MMCs from metal and alloy powders produced from scrap, 295
Self-consistent model
Prediction of spring-back behavior in high strength low carbon steel sheets, 385
Self-pierce riveting
Self-piercing riveting process: An experimental and numerical investigation, 10
Self-propelled tools
Mechanics of machining of face-milling operation performed using a self-propelled round insert milling cutter, 68
Semi-analytical analysis
Mechanical and thermal modelling of Friction Stir Welding, 348
Sequential
Criteria on feeding system design: Conventional and sequential injection moulding, 373
Serrated chip
Prediction of serrated chip formation in metal cutting process with new flow stress model for AISI 1045 steel, 417
Shaped charge
The influence of repressing liners made from sintered copper on jet formation, 21
Sheet metal forming
Development of a new quadratic shell element considering the normal stress in the thickness direction for simulating sheet metal forming, 341
Sheet rolling
A parameters design approach to improve product quality and equipment performance in hot rolling, 83

Shell element
Development of a new quadratic shell element considering the normal stress in the thickness direction for simulating sheet metal forming, 341
Simple compression
Deformation behavior of pure aluminum specimen composed of a few grains during simple compression, 205
Simulation
A non-finite element approach for tubular hydroforming simulation featuring a new sticking friction model, 214
Singular spectrum analysis
Tool wear detection in turning operations using singular spectrum analysis, 451
Slab method
A slab method study of strain hardening and friction effects in cold foil rolling process, 331
Slender workpieces
Characterising the behaviour of workpieces under the effect of tangential cutting force during NC turning. Application to machining of slender workpieces, 471
Solder bump
The numerical analysis of strain behavior at the solder joint and interface in a flip chip package, 125
Solid state reaction method
Characteristics of nano-sized $La_{0.7}Ca_{0.3}MnO_3$ powders prepared by solution combustion method and solid state reaction method for CMR applications, 240
Solution combustion method
Characteristics of nano-sized $La_{0.7}Ca_{0.3}MnO_3$ powders prepared by solution combustion method and solid state reaction method for CMR applications, 240
Spherical mandrelling method
A finite element simulation of the spherical mandrelling process of holes with cracks, 459
Spiral spring
Design and application of blank holder system with spiral spring in deep drawing of square cups, 274
Spring-back
Prediction of spring-back behavior in high strength low carbon steel sheets, 385
Square drawing
Design and application of blank holder system with spiral spring in deep drawing of square cups, 274
Steel
The influence of minimum quantity of lubrication (MQL) on cutting temperature, chip and dimensional accuracy in turning AISI-1040 steel, 93
Steel wire
Failures during the production and usage of steel wires, 232
Stir casting
Influence of stirring speed and stirring time on distribution of particles in cast metal matrix composite, 268
Strain
A non-finite element approach for tubular hydroforming simulation featuring a new sticking friction model, 214
Strain and micro-hardness maps
Mechanical and thermal modelling of Friction Stir Welding, 348
Strain-hardening
A slab method study of strain hardening and friction effects in cold foil rolling process, 331
Strengthening mechanism
Evolution of microstructure and strengthening of 7050 Al alloy by ECAP combined with heat-treatment, 100
Subme10rged arc welding
Combined effect of flux and welding parameters on chemical composition and mechanical properties of submerged arc weld metal, 223
T1 high-speed steel
Comment on "Prediction of the flow stress of 0.4C–1.9Cr–1.5 Mn–1.0Ni–0.2Mo steel during hot deformation" by R.H. Wu et al. [J. Mater. Process. Technol. 116 (2001) 211], 283
Taguchi method
Mechanics of machining of face-milling operation performed using a self-propelled round insert milling cutter, 68
Temperature distribution
A numerical model to determine temperature distribution in orthogonal metal cutting, 1
Tensile test
Mechanical behavior of austenitic stainless steel weld metals with microfissures, 150
Testing
Self-piercing riveting process: An experimental and numerical investigation, 10
Thermal analysis
Design and thermal analysis of plastic injection mould, 259
Thermal softening
Prediction of serrated chip formation in metal cutting process with new flow stress model for AISI 1045 steel, 417
Thickness change
Development of a new quadratic shell element considering the normal stress in the thickness direction for simulating sheet metal forming, 341
Titanium carbide
In situ reacted titanium carbide-reinforced aluminum alloys composite, 411
Tool life
On machining of hardened AISI D2 steel with PCBN tools, 244
Tool wear
Tool wear detection in turning operations using singular spectrum analysis, 451
Torque
Response surface methodology-based approach to CNC drilling operations, 41
Trajectories
Mechanical and thermal modelling of Friction Stir Welding, 348
Transition piece
Thermal stress analysis in annular duct resembling gas turbine transition piece, 285
Transmission electron microscopy
Development of new patient-friendly therapeutic puncture needle with high insulation and good adhesion, 423
Tribological characteristics
Wear of CrC-coated carbide tools in dry machining, 108
Tubular
A non-finite element approach for tubular hydroforming simulation featuring a new sticking friction model, 214
Turning
The influence of minimum quantity of lubrication (MQL) on cutting temperature, chip and dimensional accuracy in turning AISI-1040 steel, 93
Tool wear detection in turning operations using singular spectrum analysis, 451
Ultrasonic spray pyrolysis
Optimization of the synthesis conditions of $LiCoO_2$ for lithium secondary battery by ultrasonic spray pyrolysis process, 118
Underfill
The numerical analysis of strain behavior at the solder joint and interface in a flip chip package, 125
Valve gate
Criteria on feeding system design: Conventional and sequential injection moulding, 373
Vibration signal
Tool wear detection in turning operations using singular spectrum analysis, 451

Warpage
Comparison of the warpage optimization in the plastic injection molding using ANOVA, neural network model and genetic algorithm, 437
Welding
Mechanical behavior of austenitic stainless steel weld metals with microfissures, 150
The influence of double pulse on porosity formation in aluminum GMAW, 366
Wire drawing
The influence of bearing geometry on the residual stress state in cold drawn wire, analysed by the FEM, 446
Wire flat rolling
Calculation of the rolling pressure distribution and force in wire flat rolling process, 253
With to area ratio
Combined effect of flux and welding parameters on chemical composition and mechanical properties of submerged arc weld metal, 223
Workability
Welded preforms for forging, 141

X-ray diffraction
The influence of bearing geometry on the residual stress state in cold drawn wire, analysed by the FEM, 446